Hyundai Motor America

10550 Talbert Avenue, Fountain Valley, CA 92708

HyundaiUSA.com

HyundaiNews.com

MECHANICAL		
Engine Lineup	2.5L (All ICE Models)	1.6T (HEV/PHEV)
Smartstream Engine Family 2.5L GDI + MPI DOHC 16-valve Inline 4-cylinder Displacement: 2,497 cc, full engine cover Continuously Variable Valve Timing (CVVT)	S	-
Smartstream Engine Family 1.6L Turbo-GDI DOHC 16-valve Inline 4-cylinder Displacement: 1,598 cc, full engine cover Continuously Variable Valve Duration (CVVD)	_	S
Engine Features	2.5L (All ICE Models)	1.6T (HEV/PHEV)
Hood insulator	S	S
Block / Head Composition	Aluminum	Aluminum
Horsepower (hp) (Gas Engine Only)	187 @ 6100 RPM	180 @ 5500 RPM
Torque(lb-ft) (Gas Engine Only)	178 @ 4000 RPM	195 @ 1500-4500 RPM
Bore & Stroke (mm):	85.5 X 101.5	75.6 X 89.0
Compression Ratio	13.0	10.5
Idle Stop & Go	S	-
Intake System	Variable Intake System	Variable Intake System
Recommended Fuel	Regular Unleaded	Regular Unleaded
Emissions Control System	SULEV30	SULEV30
Exhaust	Single tip N Line (Single Twin Tip)	Single tip

MECHANICAL					
Electric Motor / Battery		Hybrid	Plug-In Hybrid		
Permanent magnet synchronous motor		S	S		
Total System Output w/ Cas Engine	Horsepower	226	261 (est.)		
Total System Output w/ Gas Engine	Torque	258 lbft.	258 lbft. (est.)		
Power Output (Electric Motor Only)	-	44.2 kW (59 hp) @ 1,600-2,000 rpm	66.9 kW (90 hp) @ 2,100-3,300 rpm		
Torque (Electric Motor Only)		195 lbft. @ 0-1,600 rpm	224 lbft. @ 2,100rpm		
BatteryType		Lithium Ion	Lithium Ion		
Voltage		270V (max)	360V (max)		
Battery System Capacity		1.49 kWh	13.8 kWh		
Battery Power Output	Output 64 kW		88 kW		
Charge Port		-	S		
On-board Charger		-	7.2 kW (@240V)		
Charge time		-	~2 hours		

MECHANICAL (cont'd)					
Electrical		2.5L (All ICE Models)	1.6T (HEV/PHEV)		
Ignition System		Туре	Distributorless	Distributorless	
Starter		Rating	12V 1.4 kW (ISG on) 12v 1.2 kW (ISG off)	-	
Alternator Management	System	Rating	13.5V, 150A	-	
Transmission and Drive	System		2.5L (All ICE Models)	1.6T (HEV/PHEV)	
	FWD		S	-	
Drive Type	HTRAC AWD, Active On-Demand		0	S	
Drive Mode	Center-console mounted		S	S	
Transmission Type	8-speed automatic torque converte	er	S	-	
6-speed automatic torque converter Steering Wheel Paddle Shifters		er	-	S	
			0	S	
	Shift-By-Wire		0	S	
Gear Ratios			2.5L FWD / AWD	1.6LAWD	
	$1^{st}$ $2^{nd}$ $3^{rd}$ $4^{th}$ $5^{th}$ $6^{th}$ $7^{th}$ $8^{th}$ Reverse		4.717 2.906 1.864 1.423 1.224 1.000 0.790 0.635 3.239	4.638 2.826 1.841 1.386 1.000 0.772 3.385	
Final Gear Ratio			3.648	3.320	

MECHANICAL (cont'd)		
Brakes		All Models
Front	Туре	Ventilated Disc
	Size (diameter x thickness, mm)	12.8" x 1.2", 325mm x 30mm
Rear	Туре	Solid Disc
	Size (diameter x thickness, mm)	12.0" x 0.4", 300mm x 10mm
ABS with Electronic Brake-force		S
Distribution (EBD)	Number of Wheels	4
	Number of Channels	4
	Number of Sensors	4
Downhill Brake Control (DBC)	Driver-selectable	S
Hillstart Assist Control (HAC)		S
Brake Assist		S
Electronic Parking Brake	w/ Automatic Vehicle Hold	S
Steering		All Models
Motor Driven Power Steering (MDPS) Rack and pinion steering, column-mounted		S
Overall Ratio		13.7:1
Turns (lock to lock)		2.41
Turning Diameter (curb to curb, in fee	t)	38.6

MECHANICAL (cont'd)		
Suspension		All Models
Front	Туре	MacPherson strut with coil springs
	Stabilizer Bar	S
	Gas-pressurized shock absorbers	S
Rear	Туре	Multi-link
	Stabilizer Bar	S
Gas-pressurized shock absorbers		S
Body/Chassis		All Models
Туре		Unibody (Monocoque body)
Materials Primary		Advanced High Strength Steels; High tensile steel

SAFETY/SECURITY			
Restraint Systems		ALL	
Airbags Driver (1)			S
(Front - Advanced)	Front pass	enger (1)	S
		Classification System (OCS) t sensor and seat track sensor	S
	Driver and	front passenger side-impact FR (Thorax)(2)	S
	Side air cur	tains (front and rear passengers) with rollover sensors (2)	S
	Rear side a	irbags (2)	S
Outboard seatbelts		3-point/ELR	S
Inboard seatbelt (rear)		3-point/ELR	S
5-position seatbelt reminder			S
Adjustable front-seat shoulder belt ar	nchors		S
Front seatbelt pretensioners and load	limiters		S
LATCH Lower Anchors and Upper Tet	her Anchors		S
Power window lock-out button			S
Child safety locks (rear)			S
Active Safety			
Anti-lock Braking System (ABS) with 4-wheel disc brakes			S
Electronic Stability Control (ESC) with Traction Control (TCS) and Brake Assist			S
Vehicle Stability Management			S
Tire Pressure Monitoring System (TPM	1S) w/ Individual	TireIndicator	S

SAFETY/SECURITY (cont'd)							
Active Safety	SE	SEL/Blue (HEV)	XRT	N Line	Limited		
Forward Collision-Avoidance Assist (FCA) with Pedestrian, Cyclist, and Junction Turning Detection (sensor fusion-type)	S	S	S	S	S		
Blind-Spot Collision-Avoidance Assist (BCA)	S	S	S	S	S		
Rear Cross-Traffic Collision-Avoidance Assist (RCCA)	S	S	S	S	S		
Parking Collision-Avoidance Assist – Reverse	-	-	-	-	S		
Parking Distance Warning – Front & Rear	-	-	-	-	S		
Surround View Monitor (SVM)	-	-	-	-	S		
Blind-Spot View Monitor (BVM)	-	-	-	-	S		
Driver Attention Warning (DAW)	S	S	S	S	S		
Lane Keeping Assist (LKA)	S	S	S	S	S		
Lane Following Assist (LFA)	S	S	S	S	S		
Steering wheel haptic feedback (for LKA and BCA)	S	S	S	S	S		
Intelligent Speed Limit Assist (ISLA)	S	S	S	S	S		
Highway Driving Assist (HDA)	-	-	-	-	S		
Navigation-based Smart Cruise Control with Curve Control (NSCC)	-	-	-	-	S		
Safe Exit Warning (SEW)	S	S	S	S	S		
Rear Occupant Alert (ROA)	S	S	-	-	-		
Ultrasonic Rear Occupant Alert (Ultrasonic ROA)	-	0	S	S	S		
Passive Safety	SE	SEL/Blue (HEV)	XRT	N Line	Limited		
Bodyside reinforcements	S	S	S	S	S		
Anti-theft System integrated with remote keyless entry and panic alarm	S	S	S	S	S		
Immobilizer	S	S	S	S	S		

DIMENSIONS/WEIGHTS/CAPACITIES										
Exterior (inches)		All								
Wheelbase		108.5								
Overall Length					182	2.3				
Overall Width		73.4								
Overall Height (w/o roof rails/with roof rails)				TBD	/ 65.6 (FW	D), 66.3 (AWD)				
Tread Width 17" alloys (front/rear)					63.8	/ 64.1				
Tread Width 19" alloys (front/rear)					63.6 /	63.9				
Overhang (front/rear)					35.2 /	′ 38.6				
Minimum Ground Clearance (2WD/AWD)					7.1 /	8.3				
Coefficient of Drag (Cd)					0.3	33				
Roof rails load capacity					220	lbs				
Interior (inches)		IC	E			н	EV		PI	HEV
Head Room w/o Sunroof (front/rear)		40.1	/ 39.5		40.1 / 39.5				40.1 / 39.5	
Head Room Sunroof (front/rear)		38.3	/ 39.5		n/a				n/a	
Head Room Panoramic Sunroof		38.1/	′ 39.0			38.1	/ 38.7		38.1	/ 38.7
(front/rear)		41.4	/ 41.3			41.4	/ 41.3		41.4	/ 39.5
Leg Room (front/rear)		57.6	/ 56.0		57.6 / 56.0				57.6 / 56.0	
Shoulder Room (front/rear)		54.5	/ 53.9			54.5	/ 53.9		54.5	/ 53.9
Hip Room (front/rear)										
Weights (lbs)	SE	SEL	XRT	Limited	Blue	SEL Conv	N Line	Limited	SEL	Limited
Curb Weight FWD/AWD	3,346 / 3,481	3,444 / 3,578	3,555 / 3,690	3,529 / 3,663	3,692	3,806	3,833	3,837	4,115	4,217
GVWR FWD/AWD	4,629 / 4,761	4,629 / 4,761	4,629 / 4,761	4,629 / 4,761	4,861	4,861	4,861	4,861	5,247	5,247
Payload FWD/AWD	1,283/1,280	1,185/1,183	1,074/1,071	1,100/1,098	1,169	1,055	1,028	1,024	1,132	1,030
Maximum Trailer Weight w/ trailer brakes Max. Trailer Weight w/o trailer brakes		2,000 1,650								

DIMENSIONS/WEIGHTS/CA	PACITIES (cont'd)					
Capacities			ICE		HEV	PHEV
Fuel Tank (gallons)			14.3		13.7	11.1
Engine Oil (liters)			5.6		4.8	4.8
Volume (cubic feet)			ICE		HEV	PHEV
Total interior volume (w/o pano	sunroof)		146.9		146.7	137.8
Passenger interior volume (w/o	pano sunroof)		108.2		107.9	105.9
Cargo capacity, rear seats up (cu. ft.) SAE Max		38.7		38.7	31.9	
		Мах	41.2		41.2	31.9
SAE SAE		SAE	74.8	74.5		66.3
Cargo capacity, rear seats folde	ed down (cu. n.)	Max	80.3	80.0		71.8
Fuel Economy / EPA / Perfor	mance		ICE		HEV	PHEV
Fuel Economy	FWD	FWD		Blue	SEL Conv / N Line / Limited	SEL/Limited
City/Highway/Combined	AWD	AWD		38/38/38 37/36/37		35 Combined
Flactuic	Miles Per Galla	on – equivalent (MPGe)	-	_		80
Electric	All-Electric Ra	nge (miles)	-		-	33
EPA Classification			Small SUV		Small SUV	Small SUV
Smog Rating		FWD: 7 AWD: 7	AWD: 7		AWD: 7	
Fuel Economy (FE)/Greenhouse Gas (GHG) Rating			FWD: 6 AWD: 5	7		Fuel Economy: 8 Greenhouse Gas: 9